

<b>Examiner-Initiated Interview Summary</b>	<b>Application No.</b>	<b>Applicant(s)</b>
	10/707,604	HOFFMAN, DAVID M.
	Examiner Anastasia Midkiff	Art Unit 2882

**All Participants:**

**Status of Application:** Rejected (Non-Final)

(1) Anastasia Midkiff.

(3) \_\_\_\_\_.

(2) Thomas E. Donahue (Reg. No. 44,660).

(4) \_\_\_\_\_.

**Date of Interview:** 2 December 2005

**Time:** 2:00 pm

**Type of Interview:**

Telephonic  
 Video Conference  
 Personal (Copy given to:  Applicant  Applicant's representative)

Exhibit Shown or Demonstrated:  Yes  No

If Yes, provide a brief description:

**Part I.**

**Rejection(s) discussed:**

*New Matter in Amended Claim.*

**Claims discussed:**

18

**Prior art documents discussed:**

*None*

**Part II.**

**SUBSTANCE OF INTERVIEW DESCRIBING THE GENERAL NATURE OF WHAT WAS DISCUSSED:**

*See Continuation Sheet*

**Part III.**

It is not necessary for applicant to provide a separate record of the substance of the interview, since the interview directly resulted in the allowance of the application. The examiner will provide a written summary of the substance of the interview in the Notice of Allowability.  
 It is not necessary for applicant to provide a separate record of the substance of the interview, since the interview did not result in resolution of all issues. A brief summary by the examiner appears in Part II above.

(Examiner/SPE Signature)

(Applicant/Applicant's Representative Signature – if appropriate)

Continuation of Substance of Interview including description of the general nature of what was discussed: Informed Mr. Donahue that application 10/707,604 was in condition for allowance as amended, with one new matter issue. The word "communication" had been replaced with "contact" in Line 4 of Claim 18, with respect to the electroluminescent panel and scintillator assembly, but specification described, and diagrams showed, that said panel and said scintillator have a reflective film (Item 72) disposed between. Examiner suggested replacing "contact" with the aforementioned term "communication" or adding the word "optical" in front of "contact." Mr. Donahue chose to change "contact" back to the original term "communication," and gave his permission for examiner to amend Claim accordingly..